

# WASHINGTON ACADEMY OF SCIENCES

### BOARD OF EDITORS

EDGAR W. WOOLARD GEORGE WASHINGTON UNIVERSITY

EDGAR T. WHERRY
UNIVERSITY OF PENNSYLVANIA

C. WYTHE COOKE
U. S. GEOLOGICAL SURVEY

#### ASSOCIATE EDITORS

H. E. MERWIN PHILOSOPHICAL SOCIETY

E. A. GOLDMAN BIOLOGICAL SOCIETY

AGNES CHASE
BOTANICAL SOCIETY

HAROLD MORRISON
ENTOMOLOGICAL SOCIETY

G. W. STOSE GEOLOGICAL SOCIETY

J. R. SWANTON
ANTHROPOLOGICAL SOCIETY

ROGER C. WELLS CHEMICAL SOCIETY

PUBLISHED SEMI-MONTHLY EXCEPT IN JULY, AUGUST, AND SEPTEMBER, WHEN MONTHLY

BY THE

WASHINGTON ACADEMY OF SCIENCES

Mt. Royal and Guilford Aves. Baltimore, Maryland

Entered as Second Class Matter, January 11, 1923, at the post-office, at Baltimore, Md., under the Act of August 24, 1912. Acceptance for mailing at a special rate of postage provided for in section 1103, Act of October 3, 1917. Authorized on July 3, 1918.

## Journal of the Washington Academy of Sciences

This JOURNAL, the official organ of the Washington Academy of Sciences, publishes: (1) short original papers, written or communicated by members of the Academy; (2) proceedings and programs of meetings of the Academy and affiliated societies; (3) notes of events connected with the scientific life of Washington. The Journal is issued semi-monthly, on the fourth and nineteenth of each month, except during the summer when it appears on the nineteenth only. Volumes correspond to calendar years. Prompt publication is an essential feature; a manuscript reaching the editors on the fifth or the twentieth of the month will ordinarily appear, on request from the author, in the issue of the Journal for the following fourth or nineteenth, respectively.

Manuscripts may be sent to any member of the Board of Editors: they should be clearly typewritten and in suitable form for printing without essential changes. The editors cannot undertake to do more than correct obvious minor errors. References should appear only as footnotes and should include year of publication. To facilitate the work of both the editors and printers it is suggested that footnotes be numbered serially and submitted on a separate manuscript page.

Illustrations in limited amount will be accepted, drawings that may be reproduced

by zinc etchings being preferable.

Proof.—In order to facilitate prompt publication no proof will be sent to authors unless requested. It is urged that manuscript be submitted in final form; the editors

will exercise due care in seeing that copy is followed.

Authors' Reprints.—Fifty reprints without covers will be furnished gratis. Covers bearing the name of the author and title of the article, with inclusive pagination and date of issue, and additional reprints, will be furnished at cost when ordered, in accordance with the following schedule of prices:

Copies	4 pp.	8 pp.	12 pp.	16 pp.	Covers
50					\$2.00
100	\$ .50	\$ .55	\$ .60	\$1.10	2.50
150 .	.90	1.00	1.10	1.60	3.00
200	1.15	1.50	1.60	2.10	3.50
250	1.65	2.00	2.10	2.60	4.00

An additional charge of 25 cents will be made for each split page.

Envelopes for mailing reprints with the author's name and address printed in the corner may be obtained at the following prices. First 100, \$4.00; additional 100,

As an author will not ordinarily see proof, his request for extra copies or reprints should invariably be attached to the first page of his manuscript.

The rate of Subscription per volume is	\$6.00*
Semi-monthly numbers	.25
Monthly numbers (July, August, and September, Nos. 13, 14, and 15)	.50

Remittances should be made payable to "Washington Academy of Sciences" and addressed to the Treasurer, H. G. Avers, Coast and Geodetic Survey, Washington, D. C.

Exchanges.—The JOURNAL does not exchange with other publications.

Missing Numbers will be replaced without charge provided that claim is made within thirty days after date of the following issue.

<sup>\*</sup>Volume I, however, from June 19, 1911, to December 19, 1911, will be sent for \$3.00. Special rates are given to members of scientific societies affiliated with the Academy.

# **JOURNAL**

OF THE

# WASHINGTON ACADEMY OF SCIENCES

Vol. 20

NOVEMBER 19, 1930

No. 19

BOTANY.—Mosses collected in Brazil and Argentina by J. N. Rose in 1915. R. S. WILLIAMS, New York Botanical Garden. (Communicated by WILLIAM R. MAXON)

The mosses reported upon in the present paper are part of a large botanical collection made in Brazil and Argentina in 1915, upon an expedition conducted by Dr. J. N. Rose under the auspices of the Carnegie Institution of Washington and the New York Botanical Garden, the principal object of the exploration having been to collect cacti. Dr. Rose was accompanied by Paul G. Russell, detailed by the U. S. National Museum as assistant. The mosses listed are in the U. S. National Herbarium and the herbarium of the New York Botanical Garden.

#### SPHAGNUM MAGELLANICUM Brid.

Vicinity of Itatiaya, Brazil, July 26–30 (20486). This species, largely under the name of S. medium, is known from Alaska southward, also from Europe, Asia, and Africa.

#### Sphagnum subsecundum Nees

Locality and date of preceding (20508). Largely known as S. platyphyllum, and of about as wide distribution as the preceding. (I am indebted to Dr. A. LeRoy Andrews for the determination of these Sphagnums.)

#### DITRICHUM RUFESCENS Hampe

Locality and date of preceding (20544). Not before credited to Brazil, I believe, but found on the west coast southward to Chile.

#### CERATODON STENOCARPUS Br. & Sch.

Locality and date of preceding (20527, 20544). Common in tropical regions of the Old World also.

<sup>&</sup>lt;sup>1</sup> Received September 3, 1930.

Aongstroemia vaginata (Hook.) C. M.

Locality and date of preceding (20449a). No. 60 of E. Ule's mosses of Brazil, called A. julaceo-divaricata C. M., does not seem to be distinct from this species.

DICRANELLA EXIGUA (Schwaegr.) Mitt.

Itacurussa, State of Rio de Janeiro, Brazil, July 24 (20423, 20426).

DICRANELLA GUILLEMINIANA (Mont.) Hampe Vicinity of Itatiaya, Brazil, July 26–30 (20576).

DICRANELLA HILARIANA (Mont.) Mitt.

Vicinity of Bahia, Brazil, May 29 (19689). Monte Serrat, vicinity of Itatiaya, Brazil, July 26–30 (20443, 20446). Near Milo Pecanna, State of Rio de Janeiro, Brazil, Aug. 9 (20734); very poor specimens but probably belonging here. This species occurs commonly from the southern United States to southern Brazil and has been described under a great variety of names.

DICRANELLA PABSTIANA (C. M.) Mitt.

On Corcovado, Rio de Janeiro, Brazil, July 12; marked "h."

DICRANELLA SUBSULCATA Hampe

Vicinity of Itatiaya, Brazil, July 26–30 (20578; 20450, immature but probably belonging here). Tijuca, vicinity of Rio de Janeiro, Brazil, Aug. 1 (20629).

Campylopodium pusillum (Schpr.) Williams

Vicinity of Itatiaya, Brazil, July 26–30 (20545a). Ule's no. 102 from this region, called *C. itatiaiense*, does not seem to me distinct.

Holomitrium arboreum Mitt.

Vicinity of Toca de Onca, Brazil, June 27–29 (20122). Vicinity of Itatiaya, Brazil, July 26–30 (20548).

Holomitrium Crispulum Mart.

Forests of Jabaquara, Brazil, Aug. 15 (20860, 20864).

HOLOMITRIUM OLFERSIANUM Hsch.

Ilha Grande, Distrito Federal, Rio de Janeiro, Brazil, July 22–24 (20391).

Campylopus arctocarpus (Hsch.) Mitt.

Vicinity of Itatiaya, Brazil, July 26–30 (20509).

Campylopus detonsus (Hampe) Par.

Vicinity of Bahia, Brazil, May 30 (19696). Sterile.

Campylopus introflexus (Hedw.) Mitt.

Vicinity of Itatiaya, Brazil, July 26-30 (20474).

CAMPYLOPUS PENICILLATUS (Hsch.) Jaeg.

Locality and date of preceding (20434).

Campylopus subarctocarpus (Hampe) Jaeg.

Organ Mountains, Rio de Janeiro, Brazil, Aug. 12 (20811). On Papagaya, Rio de Janeiro, Brazil, Aug. 1 (20698b).

Campylopus sp.?

Near Santos, Brazil, Sept. 20 (21111). Sterile.

CAMPYLOPUS SP.

Vicinity of Itatiaya, Brazil, July 26-30 (20548a). Sterile.

PILOPOGON SUBJULACEUS Hampe

Vicinity of Itatiaya, Brazil, July 26-30 (20545, 20477a).

LEUCOBRYUM ALBICANS (Schwaegr.) Lindb.

Organ Mountains, Rio de Janeiro, Brazil, Aug. 12 (20858).

OCTOBLEPHARUM ALBIDUM (L.) Hedw.

Vicinity of Bahia, Brazil, May 26 (19633, 19642). Ilha Grande, Distrito Federal, Rio de Janeiro, Brazil, July 22–24 (20388).

FISSIDENS OBTUSATUS Hampe

Ilha Grande, Distrito Federal, Rio de Janeiro, Brazil, July 22-24 (20389).

FISSIDENS PSEUDOBRYOIDES Schlph.

Vicinity of Bahia, Brazil, May 30 (19704) and June 3 (20139a). Sao Miguel, State of Bahia, Brazil, June 26 (20055). This determination as F. pseudobryoides appears to be correct, but on further study it would seem that the species is not sufficiently distinct from the older F. Kegelianus.

CALYMPERES RICHARDI C. M.

Vicinity of Bahia, Brazil, May 26 (19632).

HYMENOSTOMUM MICACEUM (Schlecht.) Hampe

Vicinity of Bom Finn, Bahia, Brazil, June 8, 9 (19830). Vicinity of Cabo Frio, Rio de Janeiro, Brazil, Aug. 8 (20730). This species is distinguished by having the costa quite papillose on the upper surface from near the apex about two-thirds of the way down, the back of the leaf and costa being smooth or slightly papillose, and the upper surface of leaf mostly mamillose. Known only from Brazil until collected at Frederiksted, St. Croix, West Indies, by Rose, Fitch and Russell, in Feb. 1913, no. 4448.

TIMMIELLA UMBROSA (C. M.) Broth.

Near Cassaffousth, Córdoba, Argentina, Sept. 9 (21068).

## DIDYMODON SCHIMPERI (Mont.) Broth.

Portrerillos, Mendoza, Argentina, Sept. 2 (20998). Apparently not known previously outside of Chile.

## TORTELLA CAESPITOSA (Schwaegr.) Limpr.

Vicinity of Toca de Onca, Bahia, Brazil, June 27–29 (20118). Ilha Grande, Distrito Federal, Rio de Janeiro, Brazil, July 22–24 (20386, 20387, 20392). Monte Serrat, vicinity of Itatiaya, Brazil, July 26–30 (20444). Near Iguaba Grande, Rio de Janeiro, Brazil, Aug. 7–9 (20715). Petropolis, Organ Mountains, Rio de Janeiro, Brazil, Aug. 12 (20829). Near Cassaffousth, Córdoba, Argentina, Sept. 9 (21066). On Corcovado, Rio de Janeiro, Brazil, July 19, marked "a."

## HYOPHILA MICROCARPA (Besch.) Broth.

Salgada, State of Bahia, Brazil, June 1 (19712). Queimadas, Bahia, Brazil, June 9-17 (19861, 19882). Vicinity of Machado Portello, Bahia, Brazil, June 19-23 (19934, 19997).

## HYOPHILA TORTULA (Schwaegr.) Hampe

State of Bahia, Brazil, May 31 (19707). Alagoinhas, State of Bahia, Brazil, June 12 (19883).

## BARBULA UNCINICOMA C. M.

Near Cassaffousth, Córdoba, Argentina, Sept. 9 (21067).

## Desmatodon stomatodontus (Card.) Williams

Vicinity of Bahia, Brazil, May 25 (19620), mixed with Tortula agraria Sw. Same locality, June 15 (19892).

#### TORTULA AGRARIA SW.

Vicinity of Bahia, Brazil, May 25 (19620a).

## Tortula perrufula (C. M.) Williams, comb. nov.

Barbula perrufula C. M. Hedwigia 36: 103. 1897. This seems to belong rather to Tortula, inasmuch as there is no stereid band on the upper side of the costa. It has leaf margins of a double thickness of cells, 32 twisted teeth from a rather high basal membrane, and an annulus of 2 or 3 rows of cells.

# GLYPHOMITRIUM BALANSAE (Besch.) Broth.

Near Cassaffousth, Córdoba, Argentina, Sept. 9 (21064). Here must be referred G. brevifolium C. M., which apparently is not distinct in any way from G. Balansae.

# Zygodon subdenticulatus Hampe

Vicinity of Itatiaya, Brazil, July 26–30 (20512). Not previously credited to Brazil.

#### Macromitrium fragile Mitt.

On orchids in market, Bahia, Brazil, May 26 (19643).

Macromitrium mucronifolium (Hook. & Grev.) Schwaegr.

Ilha Grande, Distrito Federal, Rio de Janeiro, Brazil, July 22–24 (20380). Near Santos, Brazil, Sept. 20 (21115).

Schlotheimia Nitida Schwaegr.

Tijuca, vicinity of Rio de Janeiro, Brazil, Aug. 1 (20632).

SCHLOTHEIMIA RUGIFOLIA (Hook.) Brid.

Vicinity of Toca de Onca, Bahia, Brazil, June 27–29 (20122a). North of Caldeirao, State of Bahia, Brazil, June 30 (20134).

TETRAPLODON ITATIAIAE C. M.

Vicinity of Itatiaya, Brazil, July 26-30 (20475).

Funaria apiahyensis (C. M.) Broth.

Vicinity of Itatiaya, Brazil, July 26-30 (20558, mixed with Psilopilum Ulei).

FUNARIA CALVESCENS Schwaegr.

Vicinity of Itatiaya, Brazil, July 26–30 (20451, 20466, 20467, 20468, 20595).

FUNARIA HYGROMETRICA (L.) Sibth.

Vicinity of Buenos Aires, Argentina, Aug. 28 (20960).

FUNARIA SERRICOLA (C. M.) Broth.

Vicinity of Itatiaya, Brazil, July 26–30 (20465). Tijuca, vicinity of Rio de Janeiro, Brazil, Aug. 1 (20626).

MIELICHHOFERIA MANCA (C. M.) Broth.

Vicinity of Itatiaya, Brazil, July 26-30 (20539, 20546).

#### BRYUM ARGENTEUM L.

Aramary, State of Bahia, Brazil, May 31 (19708). Sao Miguel, State of Bahia, Brazil, June 26 (20054). Vicinity of Toca de Onca, Bahia, Brazil, June 27–29 (20121). Ilha Grande, Distrito Federal, Rio de Janeiro, Brazil, July 22–24 (20355). Vicinity of Itatiaya, Brazil, July 26–30 (20547, mixed with a sterile Campylopus).

BRYUM CRUGERI Hampe; C. M.

Vicinity of Toca de Onca, Bahia, Brazil, June 27–29 (20119). Near Santos, Brazil, Sept. 20 (21112). Apparently not before reported for Brazil.

## BRYUM DENSIFOLIUM Brid.

Near Santos, Brazil, Sept. 20 (21113). Vicinity of Toca de Onca, Bahia, Brazil, June 27–29 (20120). Alta Boa Vista, vicinity of Rio de Janeiro, Brazil, July 18 (20306).

BRYUM GARDNERI Mitt.

Near Santos, Brazil, Sept. 20 (21114).

RHODOBRYUM GRANDIFOLIUM (Tayl.) Par.

Vicinity of Itatiaya, Brazil, July 26-30 (20575).

MNIUM LIGULATUM C. M.

Vicinity of Itatiaya, Brazil, July 26–30 (20577). Organ Mountains, Rio de Janeiro, Brazil, Aug. 12 (20776, 20806).

RHIZOGONIUM SPINIFORME (L.) Bruch

On Papagaya, Rio de Janeiro, Brazil, Aug. 1 (20647). Organ Mountains, Rio de Janeiro, Brazil, Aug. 12 (20810, 20822).

PHILONOTIS CURVATA (Hampe) Jaeg.

Nazareth, vicinity of Bahia, Brazil, June 30 (20139).

PHILONOTIS UNCINATA (Schwaegr.) Brid.

Tijuca, vicinity of Rio de Janeiro, Brazil, Aug. 1 (20637).

OLIGOTRICHUM RIEDELIANUM (Mont.) Mitt.

Vicinity of Itatiaya, Brazil, July 26-30 (20449, 20556a).

PSILOPILUM ULEI Broth.

Vicinity of Itatiaya, Brazil, July 26-30 (20465a, 20555, 20558a).

POLYTRICHADELPHUS UMBROSUS Mitt.

On Corcovado, Rio de Janeiro, Brazil, July 11, marked "f."

POGONATUM ABBREVIATUM Mitt.

Monte Serrat, vicinity of Itatiaya, Brazil, July 26-30 (20447).

POGONATUM GARDNERI (C. M.) Mitt.

Vicinity of Itatiaya, Brazil, July 26-30 (20556).

POLYTRICHUM ANGUSTIFOLIUM Mitt.

Vicinity of Rio de Janeiro, Brazil, July 26-30 (20436).

POLYTRICHUM ANTILLARUM Rich.

Vicinity of Rio de Janeiro, Brazil, July 26–30 (20436a). Vicinity of Itatiaya, Brazil, July 26–30 (20448, 20452, 20530, and "k"). Petropolis, Organ Mountains, Rio de Janeiro, Brazil, Aug. 12 (20827).

ERPODIUM CORONATUM (Hook. f. & Wils.) Mitt.

Vicinity of Machado Portello, Bahia, Brazil, June 19-23 (19996).

ERPODIUM GLAZIOVII Hampe

On Corcovado, Rio de Janeiro, Brazil, Aug. 17 (20875).

RHACOCARPUS HUMBOLDTII (Hook.) Lindb.

Vicinity of Itatiaya, Brazil, July 26-30 (20508a, 20521).

ORTHOSTICHOPSIS TENUIS (C. M.) Broth.

On Corcovado, Rio de Janeiro, Brazil, July 11, marked "j."

SQUAMIDIUM NITIDUM (Sull.) Broth.

North of Caldeirao, State of Bahia, Brazil, June 30 (20133a).

LINDIGIA CAPILLACEA (Hornsch.) Hampe

Organ Mountains, Rio de Janeiro, Brazil, Aug. 12 (20781b). No. 70 of E. Ule's Brazilian mosses, issued as L. paupera C. M., apparently an unpublished name, evidently belongs here.

LINDIGIA TRICHOMITRIA C. M.

Collected with the last preceding (20781a).

· PHYLLOGONIUM IMMERSUM Mitt.

On Papagaya, Rio de Janeiro, Brazil, Aug. 5 (20648).

NECKERA ARGENTINICA Lor.

Tucumán, vicinity of Buenos Aires, Argentina, Aug. 29 (without number).

Porotrichum Korthalsianum (Dz. & Mb.) Mitt.

Organ Mountains, Rio de Janeiro, Brazil, Aug. 12 (20821). Previously collected only in Venezuela and Surinam.

POROTHAMNIUM STRIATUM (Mitt.) Fleisch.

Organ Mountains, Rio de Janeiro, Brazil, Aug. 12 (20772).

STEREOPHYLLUM LEUCOSTEGUM (Brid.) Mitt.

Rio Branco, State of Bahia, Brazil, June 12 (19877).

FABRONIA LORENTZII C. M.

Vicinity of Córdoba, Argentina, Sept. 8 (21039).

FABRONIA POLYCARPA Hook.

Bahia, Brazil, May 28 (19660). Vinicity of Bom Finn, Bahia, Brazil, June 8, 9 (19829, 19831). On Corcovado, Rio de Janeiro, Brazil, Aug. 17 (20875, 20876).

HELICODONTIUM TENUIROSTRE Schwaegr.

Tijuca, vicinity of Rio de Janeiro, Brazil, Aug. 1 (20631).

Hookeriopsis Beyrichiana (Hampe) Broth.

Organ Mountains, Rio de Janeiro, Brazil, Aug. 12 (20808a).

Hookeriopsis Glaziovii (Hampe) Jaeg.

Tijuca, vicinity of Rio de Janeiro, Brazil, Aug. 1 (20633).

LEPIDOPILUM SUBULATUM Mitt.

Organ Mountains, Rio de Janiero, Brazil, Aug. 12 (20781).

Hypopterygium monoicum Hampe

Organ Mountains, Rio de Janeiro, Brazil, Aug. 12 (20775).

HELICOPHYLLUM TORQUATUM (Hook.) Brid.

Itumirim, State of Bahia, Brazil, June 5 (19815).

HAPLOCLADIUM RIOGRANDENSE C. M.

Jardim Botanico, Rio de Janeiro, Brazil, Aug. 10 (20745).

THUIDIUM DELICATULUM (L.) Mitt.

Vicinity of Itatiaya, Brazil, July 26–30 (20472a, 20557). T. brasiliense Mitt. is near this species, but has larger leaf cells and larger, higher papillae.

THUIDIUM PSEUDORECOGNITUM (Hampe) Broth.

Organ Mountains, Rio de Janeiro, Brazil, Aug. 20  $(20\tilde{7}72a)$ . This species appears to come nearest to T. Antillarum, from which it is distinguished by the cells of the branch leaves having several papillae to each cell-surface instead of only one. The inner perichaetial leaves are long-ciliate. Small, often scarcely elongate cells extend almost to the leaf-base in both stem and branch leaves, and in the branch leaves the costa is very prominent and rough on the back.


Amblystegium varium (Hedw.) Lindb.

La Plata, Argentina, Sept. 14 (21106). E. Ule's no. 73, A. pulchellum C. M., apparently an unpublished name, seems to belong here.

Microthamnium Russellii R. S. Williams, sp. nov.

Figs. 1-13

Dioicous, of flowers, about midway on the branches, rather narrowly ovate-acute, a little over 1 mm. high, the inner perigonial leaves with ovate base rather gradually narrowed to a lanceolate, serrulate point, enclosing 5-6 antheridia about .33 mm. long and a few slender paraphyses; plants growing in pale yellowish-brown mats with more or less trailing and branching stems mostly 3 or 4 cm. long, bearing scattered clusters of radicles and rather short, mostly .5-1 cm. long, often divided branches hardly complanate and tapering to apex; leaves not complanate, those of the upper stem shortly bicostate, about 1.5 mm. long, from a broadly ovate base gradually tapering to a very acute point, the borders more or less recurved and serrulate to near base; leaves of lower stem mostly shorter and broader than above and ecostate and entire; branch-leaves narrower and smaller than upper stem leaves, serrulate and bicostate except the much smaller apical leaves, these ecostate; cells of the branch-leaves mostly distinctly papillose on back at upper end, the median about  $5\mu$  wide by  $35-50\mu$  long, the alar cells sometimes forming a rather distinct group of wider, shorter cells; seta 2-2.5 cm. long; inner perichaetial leaves longer than stem-leaves, ecostate, from an ovate or lanceolate base gradually narrowed to a very slender, entire or nearly entire point; cap-



Microthamnium Russellii: 1. Plant about natural size. 2. Middle stem-leaf ×35. 3. Middle branch-leaf ×35. 4. Terminal branch-leaf ×35. 5. Perigonial leaf, antheridium and paraphyses ×35. 6 and 7. Inner perichaetial leaves ×35. 8. Apex of branch leaf ×210. 9. Median cells of leaf ×210. 10. Dried deoperculate capsule ×14. 11. Moistened capsule ×14. 12. Group of alar cells from upper stem leaf ×210. 13. Part of peristome and annulus ×150.